Department of Veterans Affairs	EYE CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE
NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER
IMPORTANT - THE DEPARTMENT OF VETERANS A COMPLETING AND/OR SUBMITTING THIS FORM.	FFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF
of their evaluation in processing the Veteran's claim. V	of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part (A may obtain additional medical information, including an examination, if necessary, to complete VA's review of the the authenticity of ALL questionnaires completed by providers. It is intended that this questionnaire will be completed
pathologic process responsible for any decrease in visu Examinations of visual fields or muscle function shoul	nsed ophthalmologist or by a licensed optometrist. The examiner must identify the disease, injury or other tal acuity or other visual impairment found. d be conducted ONLY when there is a medical indication of disease or injury that may be associated with visual field ress requested claim, and not medically contraindicated, dilated fundus exam required.
Are you completing this Disability Benefits Questionna	aire at the request of:
Veteran/Claimant	
Other: please describe	
Are you a VA Healthcare provider? C Yes	No
Is the Veteran regularly seen as a patient in your cl	inic? Yes No
Was the Veteran examined in person? O Yes	○ No
If no, how was the examination conducted?	
	EVIDENCE REVIEW
Evidence reviewed:	
○ No records were reviewed	
Records reviewed	
\sim	
Please identify the evidence reviewed (e.g. service to	reatment records, VA treatment records, private treatment records) and the date range.
	Lindated on: April 1, 2020 - v:20, 4

	SECTION I - DIAGNOSIS		
NOTE: The diagnosis section should be filled out AFTER the cl	inician has completed the examination.		
1A. DOES THE VETERAN CURRENTLY HAVE AN EYE CONDITION	(other than congenital or developmental errors of rej	fraction)?	
YES NO (If "Yes," provide only diagnoses that pertain to eye conditions:)			
DIAGNOSIS # 1 -	ICD CODE -	DATE OF DIAGNOSIS -	
DIAGNOSIS # 2 -	ICD CODE -	DATE OF DIAGNOSIS -	
DIAGNOSIS # 3 -	ICD CODE -	DATE OF DIAGNOSIS -	
1B. IF THERE ARE ADDITIONAL OR PRIOR DIAGNOSES THAT PE	RTAIN TO EYE CONDITIONS, LIST USING ABOVE FO	DRMAT:	
SI	ECTION II - MEDICAL HISTORY		
1. DESCRIBE THE HISTORY (including onset and course) OF THE	VETERAN'S CURRENT EYE CONDITION(S) (Brief sui	nmary):	
	ION III - PHYSICAL EXAMINATION		
1. VISUAL ACUITY			
Visual acuity should be reported according to the lines on the Snell			
Snellen chart, round up to the higher (worse) level (poorer vision) f	or answers a-d below. (For example, 20/60 would be r	eported as 20/70; 20/80 would be reported as	
20/100. etc.)			
Examination of visual acuity must include central uncorrected and		valuate visual acuity on the basis of corrected	
distance vision with central fixation. Visual acuity should not be de	termined with eccentric fixation or viewing.		
a. Uncorrected distance:			
RIGHT: 5/200 or worse 10/200 15/200	20/200 20/100 20/70 20/50		
LEFT: 5/200 or worse 10/200 15/200	20/200 20/100 20/10	20/40 20/20 or better	
	20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance:	20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance:	20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 c. Uncorrected Near (Reading): RIGHT: 5/200 or worse 10/200 15/200	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 c. Uncorrected Near (Reading): RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better 20/40 20/20 or better 20/40 20/20 or better 20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 c. Uncorrected Near (Reading): RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 d. Corrected Near (Reading):	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 c. Uncorrected Near (Reading): RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 c. Uncorrected Near (Reading): RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 d. Corrected Near (Reading):	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better	
b. Corrected distance: RIGHT: 5/200 or worse 10/200 15/200 LEFT: 5/200 or worse 10/200 15/200 c. Uncorrected Near (Reading): 10/200 15/200 15/200 RIGHT: 5/200 or worse 10/200 15/200 15/200 LEFT: 5/200 or worse 10/200 15/200 15/200 LEFT: 5/200 or worse 10/200 15/200 15/200 d. Corrected Near (Reading): RIGHT: 5/200 or worse 10/200 15/200 15/200	20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50	20/40 20/20 or better 20/40 20/20 or better	

SECTION III - PHYSICAL EXAMINATION (Continued)	
2. DIFFERENCE IN CORRECTED VISUAL ACUITY FOR DISTANCE AND NEAR VISION a. Does the Veteran have a difference equal to two or more lines on the Snellen test type chart or its equivalent between distan vision being worse?	ce and near corrected vision, with the near
YES NO (If "Yes," complete items 2b through 2d)	
b. Provide a second recording of corrected distance and near vision Second recording of corrected distance vision: RIGHT: 5/200 or worse 10/200 15/200 20/200 20/100 20/70 20/50 20/200 20/100 20/70 20/50 20/40 LEFT: 5/200 or worse 10/200 15/200 20/200 20/100 20/70 20/50 20/40 Second recording of corrected near vision:	 20/20 or better 20/20 or better
RIGHT: 5/200 or worse 10/200 15/200 20/200 20/100 20/70 20/50 20/40 LEFT: 5/200 or worse 10/200 15/200 20/200 20/100 20/70 20/50 20/40	20/20 or better 20/20 or better
c. Explain reason for the difference between distance and near corrected vision	
 d. Does the lens required to correct distance vision in the poorer eye differ by more than 3 diopters from the lens required to con YES NO (If "Yes," explain reason for the difference): 	rrect distance vision in the better eye?
3. PUPILS a. Pupil diameter: Right: mm Left: mm	
b. Pupils are round and reactive to light? YES NO	
c. Is an afferent pupillary defect present?	
(If "Yes," indicate affected eye):	
d. Other (Describe):	
Eye affected Right Left Both	
4. ANATOMICAL LOSS, LIGHT PERCEPTION ONLY, EXTREMELY POOR VISION OR BLINDNESS a. Does the Veteran have anatomical loss, light perception only, extremely poor vision or blindness of either eye? YES NO (If "Yes," complete items 4b through 4f)	
b. Does the Veteran have anatomical loss of either eye?	YES NO
If "Yes," indicate affected eye:	Right Left Both
If "Yes," is the Veteran able to wear an ocular prosthesis?	YES NO
If "No," provide reason:	
c. Is the Veteran's vision limited to no more than light perception only in either eye?	YES NO
If "Yes," indicate for which eye(s) the Veteran's vision is limited to no more than light perception	Right Left Both
 d. Is the Veteran able to recognize test letters at 1 foot or closer? If "No," indicate with which eye(s) the Veteran is unable to recognize test letters at 1 foot or closer 	│ YES │ NO │ Right │ Left │ Both
e. Is the Veteran able to perceive objects, hand movements, or count fingers at 3 feet?	YES NO
If "No," indicate with which eye(s) the Veteran is unable to perceive objects, hand movements, or count fingers at 3 feet:	Right Left Both
f. Does the Veteran have visual acuity of 20/200 or less in the better eye with use of a correcting lens based upon visual acuity loss (<i>i.e. USA statutory blindness with bilateral visual acuity of 20/200 or less</i>)?	YES NO
5. ASTIGMATISM a. Does the Veteran have a corneal irregularity that results in severe irregular astigmatism? YES NO (If "Yes," complete items 5b and 5c)	
 b. Does the Veteran customarily wear contact lenses to correct for the above corneal irregularity? If "Yes," does using contact lenses result in more visual improvement than using the standard spectacle correction? 	□ YES □ NO □ YES □ NO
c. Was the corrected visual acuity determined using contact lenses? If "No," explain:	

SECTION III - PHYSICAL EXAMINATION (Continued)			
6. DIPLOPIA			
a. Does the Veteran have diplopia (double vision)?			
b. Provide etiology (such as traumatic injury, thyroid eye disease, myasthenia gravis, etc.):			
NOTE: For VA purposes, examiners must use either a Goldmann perimeter chart or the Tangent Screen method identifying the four major quadrants (upward, downward, left lateral, and right lateral) and the central fields (20 degrees or less).			
c. Indicate the areas where diplopia is present (the fields in which the Veteran sees double using binocular vision):			
Central 20 degrees 21 to 30 degrees 31 to 40 degrees Greater than 40 degrees			
Down Down Down			
d. Indicate frequency of the diplopia:			
If occasional, indicate frequency of diplopia and most recent occurrence:			
e. Is the diplopia correctable with standard spectacle correction?			
If "No," is the diplopia correctable with standard spectacle correction that includes a special prismatic correction? YES NO			
7. TONOMETRY			
a. If tonometry was performed, provide results: Right eye pressure: Left eye pressure:			
b. Tonometry method used:			
Goldmann applanation			
Other (Describe):			
8. SLIT LAMP AND EXTERNAL EYE EXAM			
a. Slit Lamp:			
Normal Bilaterally Abnormal (If Abnormal, complete items 8b through 8g)			
b. External exam/lids/lashes:			
Right: Normal Other (Describe):			
Left: Normal Other (Describe):			
Right: Normal Other (Describe):			
Left: Other (Describe): d. Cornea:			
Right: Normal Other (Describe):			
Left: Other (Describe):			
e. Anterior chamber:			
Right: Normal Other (Describe):			
Left: Other (Describe):			
f. Iris:			
Right: Normal Other (Describe):			
Left: Other (Describe):			
g. Lens:			
Right: Normal Other (Describe): Left: Normal Other (Describe):			
9. INTERNAL EYE EXAM (FUNDUS)			
a. Fundus: Normal bilaterally Abnormal (If Abnormal, complete items 9b through 9f)			
b. Optic disc:			
Right: Normal Other (Describe):			
Left: Normal Other (Describe):			
c. Macula:			
Right: Other (Describe):			
Left: Normal Other (Describe):			

Eye Conditions Disability Benefits Questionnaire Released January 2022

	SECTION III	- PHYSICAL EXAMINA	TION (Continued)
9. INTERNAL EYE EXAM (Continued)			
	Describe):		
e. Vitreous)escribe).		
Left: Normal Other (1 f. Periphery			
10. VISUAL FIELDS			
a. Does the Veteran have a documented	visual field defect?		
YES NO (If "Yes," con	plete items 10b through 10f)		
Octopus Model 101, or later versions o	these perimetric devices wit ye. If additional testing is nec	h simulated kinetic Goldma cessary to evaluate visual fi	xinetic perimetry or automated perimetry using Humphrey Model 750, ann testing capability. The results must be documented for at least 16 elds, it must be conducted using either a tangent screen or a 30-degree on the examination report.
b. Was visual field testing performed?	YES NO		
Results Using Goldmann's eq Using Goldmann's eq well adapted to intra Other (Describe):	vivalent IV/4e target (used for	aphakic individuals not we	ell adapted to contact lens correction or pseudophakic individuals not
c. Does the Veteran have contraction of	visual field? YES	NO (If "Yes," co	omplete the following chart):
Meridian Norma Degree		Left Eye (OS) Actual Degrees (Cannot exceed the normal degrees)	
Up (90° OD /90° OS) 45			
Up Temporally (45° OD/135° OS) 55			
Temporally 85 (0° OD /180° OS) 85			
Down Temporally (315° OD /225° OS)85			
Down (270° OD /270° OS) 65 Down Nasally			
(225° OD /315° OS) 50 Nasally			-
(180° OD /0° OS) 60			
(135° OD /45° OS) 55			
 d. Does the Veteran have loss of a visua Homonymous hemianopsia 	field? YES	NO <i>(If "Yes," check all</i> Left Doth	that apply and indicate eye affected)
Loss of temporal half of visual fiel Loss of nasal half of visual field Loss of inferior half of visual field Loss of superior half of visual field Other (Specify:)	Right Right	Left Doth Left Both Left Both Left Both Left Both	
e. Does the Veteran have a scotoma? YES NO (If "Yes," check all that apply and indicate eye affected)			
Scotoma affecting at least 1/4 of the visual field Right Left Both Centrally located scotoma Right Left Both			
f. Does the Veteran have legal (statutory acuity is 20/20)?	blindness based upon visual	field loss(visual field diame	eter of 20 degrees or less in the better eye, even if the corrected visual
YES NO			
Eye Conditions Disability Benefits Questio	inaire		Updated on: April 1, 2020 ~v20_1

SECTION IV - EYE CONDITIONS		
1. Does the Veteran have any of the following eye conditions?		
YES (If "Yes," check all that apply) NO (If "No," proceed to Section V)		
 External Eye Conditions, including the eyelash, eyelid, and eyebrow (Complete item 2 below) Lacrimal System Conditions, including Dry Eye Syndrome (Complete item 3 below) Cornea/Conjunctiva Conditions (Complete item 4 below) Glaucoma (Complete item 5 below) Uveal Tract Conditions (Complete item 6 below) Lens Conditions, including Cataracts (Complete item 7 below) Retina, Macula, or Vitreous Conditions (Complete item 9 below) Ocular Neoplasms (Complete item 10 below) Trauma/Hemorrhage (Complete item 12 below) Other Eye Conditions (Complete item 12 below) 		
2. EXTERNAL EYE CONDITION, INCLUDING THE EYELASH, EYELID, AND EYEBROW		
a. Indicate the Veteran's condition and side affected (check all that apply):		
Ectropion Right Left Both Entropion Right Left Both Lagophthalmos Right Left Both Complete loss of eyebrows Right Left Both Complete loss of eyelashes Right Left Both Partial or complete loss of eyelid Right Left Both Pterygium Right Left Both Symblepharon Right Left Both Other (Describe): Right Left Both b. Is the Veteran's decrease in visual acuity or other visual impairment, if present, attributable to an external eye condition? Some		
YES NO There is no decrease in visual acuity or other visual impairment		
If "Yes," specify the external eye condition(s) responsible for visual impairment		
If "No," explain:		
3. LACRIMAL SYSTEM CONDITIONS, including Dry Eye Syndrome a. Does the Veteran have a disorder of the lacrimal apparatus, to include epiphora, dacryocystitis, etc.? YES NO If "Yes," specify condition and side affected: Right Left No Right Left Both b. Is the Veteran's decrease in visual acuity or other visual impairment attributable to a lacrimal system condition? Right Left Both If "Yes," specify the lacrimal system condition(s) responsible for visual impairment:		
e. Date dry eye syndrome began:		
f. Has the Veteran ever had elective procedures, such as laser eye surgery (e.g. LASIK)?		
If "Yes," specify which eye, procedure, and date: If "Yes," specify which eye, procedure, and date: Right Left Both Name or description of procedure: Date(s) of procedure: Did dry eye syndrome begin after the elective procedure? YES NO		
Eye Conditions Disability Benefits Questionnaire Updated on: April 1,	2020 ~v20_1	

SECTION IV - EYE CONDITIONS (Continued)			
3. LACRIMAL SYSTEM CONDITIONS, including DRY EYE SYNDROME (Continued)			
g. Indicate the types of treatment used to treat dry eye syndrome:			
 No treatment Over-the-counter artificial tear drops Prescription medications Special contact lenses Plugs to block the tear ducts through which tears drain Surgical procedures Name or description of surgical procedure: Date(s) of surgery: Other (<i>Describe</i>): h. Is the Veteran's decrease in visual acuity or other visual impairment att 			
YES NO There is no decrease in visual acuity or o	r other visual impairment		
If "Yes," specify the dry eye syndrome condition(s) responsible for visual i	l impairment:		
If "No," explain:			
4. CORNEA/CONJUNCTIVA CONDITIONS			
a. Indicate the Veteran's condition and side affected:			
 Keratopathy Trachomatous conjunctivitis (Indicate if it is active or inactive for each eye) 	Right Left Both Right Active Inactive Left Active Inactive		
Chronic conjunctivitis (non trachomatous)			
(Indicate if it is active or inactive for each eye)	Right Active Inactive Left Active Inactive		
 Keratoconus Corneal transplant Other (<i>describe</i>): b. Is the Veteran's decrease in visual acuity or other visual impairment att 	Right Left Both Right Left Both Right Left Both Left Both Image: Right Left Image: Right Left		
YES NO There is no decrease in visual acuity or o	r other visual impairment		
If "Yes," specify corneal condition(s) responsible for visual impairment:			
If "No," explain:			
c. If the Veteran had a corneal transplant, please indicate the current resid (Check all that apply):	sidual(s).		
 No current residuals Pain Photophobia Glare sensitivity Other, (describe): 	Right Left Both		
5. GLAUCOMA			
a. Specify the type of glaucoma:			
Angle-closure Eye affecte Open-angle Eye affecte			
Other, specify type (For example, neovascular, phakolytic, etc.) Eye affected Eye affected			
	Undeted on: April 1, 2020 - v:20, 4		

SECTION IV - EYE CONDITIONS (Continued)			
GLAUCOMA (Continued)			
b. Does the glaucoma require continuous medication for treatment?			
If "Yes," list medication(s) used for treatment of glaucoma:			
c. Is the Veteran's decrease in visual acuity or other visual impairment, if present, attributable to glaucoma?			
YES NO There is no decrease in visual acuity or other visual impairment			
If "No," explain:			
6. UVEAL TRACT CONDITIONS			
a. Indicate the Veteran's condition and eye affected:			
Choroidopathy (including uveitis, iritis, cyclitis, or choroiditis) Right Left Both Scleritis Right Left Both			
Tuberculosis of the eye (indicate if it is active or inactive for each eye) Right Active Inactive Left Active Inactive			
Other (Describe): Right Left Both			
b. Is the Veteran's decrease in visual acuity or other visual impairment, if present, attributable to an uveal tract eye condition?			
YES NO There is no decrease in visual acuity or other visual impairment.			
If "Yes," specify uveal tract condition(s) responsible for visual impairment:			
7. LENS CONDITIONS, INCLUDING CATARACTS			
a. Indicate cataract condition:			
Preoperative (cataract is present) Eye affected: Right Left Both Postoperative (cataract has been removed) Eye affected: Right Left Both			
Is there a replacement intraocular lens? (pseudophakia) YES NO If "Yes," indicate eye Right Deft Both			
b. Is there aphakia or dislocation of the crystalline lens?			
If "Yes," indicate eye: Right Left Both			
c. Is the Veteran's decrease in visual acuity or other visual impairment, if present, attributable to any of the eye conditions checked above in this section?			
YES NO There is no decrease in visual acuity or other visual impairment			
If "Yes," specify condition in this section responsible for visual impairment: If "No," explain:			
8. RETINA, MACULA, OR VITREOUS CONDITIONS			
a. Indicate retina, macula, or vitreous condition and eye affected:			
Diabetic retinopathy (including proliferative and nonproliferative types) Right Left Both			
Retinopathy, not otherwise specified			
Maculopathy, not otherwise specified Right Left Both Localized retinal scars, atrophy, or irregularities, that are centrally Right Left Both			
located and result in an irregular, duplicated, enlarged, or diminished image			
Detachment of retina Right Both			
Retinal dystrophy (including retinitis pigmentosa, wet or dry macular Right Left Both degeneration, early-onset macular degeneration, rod and/or cone dystrophy)			
Other (Describe):			
b. Is the Veteran's decrease in visual acuity or other visual impairment attributable to a retina, macula, or vitreous condition?			
YES NO There is no decrease in visual acuity or other visual impairment			
If "Yes," specify the retina, macula, or vitreous condition(s) responsible for visual impairment: If "No," explain:			

SECTION IV - EYE CONDITIONS (Continued)		
9. NEURO-OPHTHALMIC CONDITIONS		
a. Indicate the Veteran's condition and side affected:		
Ptosis Right Left Both Optic neuropathy Right Left Both Paralysis of accommodation due to neuropathy of the oculomotor nerve (3 rd cranial nerve) Right Left Both Post-chiasmal disorders Right Left Both		
If there is a post-chiasmal disorder, indicate the underlying cause:		
Cerebrovascular accident (CVA) Demyelinating disease Intracranial mass/tumor Traumatic Brain Injury (TBI) Alzheimer's Disease Other - Specify the underlying neurologic condition (for example: Jakob-Creutzfeldt disease, etc.):		
b. Does the Veteran have nystagmus?		
If "Yes," is it central?		
c. Is the Veteran's decrease in visual acuity or other visual impairment attributable to a neuro-ophthalmic condition?		
YES NO There is no decrease in visual acuity or other visual impairment		
If "Yes," specify the neuro-ophthalmic condition(s) responsible for visual impairment:		
If "No," explain:		
10. OCULAR NEOPLASMS		
a. Indicate the Veteran's condition and eye affected:		
Malignant neoplasm of the eye, orbit, or adnexa (excluding skin) Right Left Both Benign neoplasm of the eye, orbit, or adnexa (excluding skin) Right Left Both Other (Describe): Right Left Both		
b. Is the Veteran's decrease in visual acuity or other visual impairment attributable to an eye neoplasm condition?		
YES NO There is no decrease in visual acuity or other visual impairment		
If "Yes," specify the neoplasm condition responsible for visual impairment:		
If "No," explain:		
c. Is the neoplasm active or in remission?		
Active Remission d. Has the Veteran completed treatment or is the Veteran currently undergoing treatment for a benign or malignant neoplasm of the eye, orbit, or adnexa (excluding skin) or metastases?		
Yes No, watchful waiting		
If "Yes," indicate type of treatment the Veteran is currently undergoing or has completed (check all that apply):		
Treatment completed; currently in watchful waiting status		
Surgery (more extensive than enucleation) Name or description of surgical procedure: Date(s) of surgery:		
Radiation therapy (to include, but not limited to x-ray therapy more extensive than to the area of the eye) Date of most recent treatment: Date of completion of treatment or anticipated date of completion:		
Systemic chemotherapy Date of most recent treatment: Date of completion of treatment or anticipated date of completion:		

SECTION IV - EYE CONDITIONS (Continued)			
10. OCULAR NEOPLASMS (Continued)			
Other therapeutic procedure			
Name or description of procedure:			
e. Does the Veteran currently have any residual conditions or complications due to the neoplasm (<i>including metastases</i>) or its treatment, other than those already			
documented in the report above?			
YES NO			
If "Yes," list residual conditions and complication (brief summary):			
11. TRAUMA / HEMORRHAGE			
a. Indicate the Veteran's condition and eye affected:			
Intraocular hemorrhage Right Left Both			
Unhealed eye injury, inclusive of orbital trauma as well as penetrating Right Both and non-penetrating eye injury			
Other (Describe): Right Left Both			
b. Is the Veteran's decrease in visual acuity or other visual impairment attributable to an eye hemorrhage or trauma?			
YES NO There is no decrease in visual acuity or other visual impairment			
If "Yes," specify the hemorrhage or trauma condition responsible for visual impairment:			
If "No," explain:			
12. OTHER EYE CONDITION(S) NOT COVERED BY ITEMS 2 THROUGH 11			
a. Does the Veteran have any other eye conditions, pertinent physical findings, complications, signs, and/or symptoms related to a current eye diagnosis?			
If "Yes," describe:			
b. Is the Veteran's decrease in visual acuity or other visual impairment attributable to this condition?			
YES NO There is no decrease in visual acuity or other visual impairment			
If "Yes," specify the condition(s) responsible for visual impairment:			
If "No," explain:			

SECTION V - SCARRING AND DISFIGUREMENT			
1. DOES THE VETERAN HAVE SCARRING OR DISFIGUREMENT ATTRIBUTABLE TO ANY EYE CONDITION?			
YES NO (If "Yes," complete appropriate dermatological DBQ)			
SECTION VI - INCAPACITATING EPISODES			
NOTE: For the purposes of evaluation under 38 CFR 4.79, an incapacitating episode is an eye condition serious enough to require a clinic visit to a provider specifically for treatment purposes. Examples of treatment may include but are not limited to: Systematic immunosuppressants or biologic agents; intravitreal or periocular injections; laser treatments; or other surgical interventions.			
1. During the past 12 months, has the Veteran had any incapacitating episodes attributable to an eye condition?			
YES NO			
If "Yes," specify the eye condition(s) causing incapacitating episodes:			
2. Indicate the number of DOCUMENTED medical visits for treatment of an eye condition over the past 12 months:			
At least 1 but less than 3			
At least 3 but less than 5			
At least 5 but less than 7			
7 or more			
3. Indicate the type of intervention that occurred during the incapacitating episode (Check all that apply):			
Systemic immunosuppressant or biologic agent (name of medication):			
Intravitreal or periocular injections (name of medication):			
Laser treatments			
Surgical intervention (Describe):			
Other (Describe):			
SECTION VII - FUNCTIONAL IMPACT			
1. DOES THE VETERAN'S EYE CONDITION(S) IMPACT HIS OR HER ABILITY TO WORK?			
If "Yes," describe the impact of each of the Veteran's eye condition(s), providing one or more examples:			
in res, describe the impact of each of the veteran's eye condition(s), providing one of more examples.			

	SECTION VIII - REMARKS	
8. REMARKS (If any)		
	N IX - EXAMINER'S CERTIFICATION AND SIGNATURE	
CERTIFICATION - To the best of my knowledge, the information	ation contained herein is accurate, complete and current.	
9A. Examiner's signature:	9B. Examiner's printed name and title (e.g. MD, DO,	DDS, DMD, Ph.D, Psy.D, NP, PA-C):
9C. Examiner's Area of Practice/Specialty (e.g. Cardiology,	Orthonedics Psychology/Psychiatry General Practice)	9D. Date Signed:
So. Examiner's Area of Practice/Specialty (e.g. Cardiology,		
9E. Examiner's phone/fax numbers:	9F. National Provider Identifier (NPI) number:	9G. Medical license number and state:
9H. Examiner's address:		
Eye Conditions Disability Benefits Questionnaire Released January 2022		Updated on: April 1, 2020 ~v20_1 Page 12 of
•		12