



NAME OF PATIENT/VETERAN

PATIENT/VETERAN'S SOCIAL SECURITY NUMBER

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM.

Note - The Veteran is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the Veteran's claim. VA may obtain additional medical information, including an examination, if necessary, to complete VA's review of the veteran's application. VA reserves the right to confirm the authenticity of ALL questionnaires completed by providers. It is intended that this questionnaire will be completed by the Veteran's provider.

Are you completing this Disability Benefits Questionnaire at the request of:

Veteran/Claimant

Other: please describe

Text input field for describing other requestor

Are you a VA Healthcare provider? Yes No

Is the Veteran regularly seen as a patient in your clinic? Yes No

Was the Veteran examined in person? Yes No

If no, how was the examination conducted?

Text input field for describing examination method

EVIDENCE REVIEW

Evidence reviewed:

No records were reviewed

Records reviewed

Please identify the evidence reviewed (e.g. service treatment records, VA treatment records, private treatment records) and the date range.

Large text input area for identifying evidence reviewed and date range

SECTION I - DIAGNOSIS

1A. DOES THE VETERAN HAVE MULTIPLE SCLEROSIS (MS)?

YES NO

1B. IF YES, PROVIDE ONLY DIAGNOSES THAT PERTAIN TO MS:

DIAGNOSIS # 1 -	ICD CODE -	DATE OF DIAGNOSIS -
DIAGNOSIS # 2 -	ICD CODE -	DATE OF DIAGNOSIS -
DIAGNOSIS # 3 -	ICD CODE -	DATE OF DIAGNOSIS -

1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO MS, LIST USING ABOVE FORMAT:

SECTION II - MEDICAL HISTORY

2A. DESCRIBE THE HISTORY (including onset and course) OF THE VETERAN'S MS (brief summary):

2B. DOMINANT HAND

RIGHT LEFT AMBIDEXTROUS

SECTION III - CONDITIONS, SIGNS AND SYMPTOMS DUE TO MS

3A. DOES THE VETERAN HAVE ANY MUSCLE WEAKNESS IN THE UPPER AND/OR LOWER EXTREMITIES ATTRIBUTABLE TO MULTIPLE SCLEROSIS?

YES NO (If "Yes," report under strength testing in neurologic exam section)

3B. DOES THE VETERAN HAVE ANY PHARYNX AND/OR LARYNX AND/OR SWALLOWING CONDITIONS DUE TO MULTIPLE SCLEROSIS?

YES NO

(If "Yes," check all that apply):

- Constant inability to communicate by speech
- Speech not intelligible or individual is aphonic
- Paralysis of soft palate with swallowing difficulty (nasal regurgitation) and speech impairment
- Hoarseness
- Mild swallowing difficulties
- Moderate swallowing difficulties
- Severe swallowing difficulties, permitting passage of liquids only
- Requires feeding tube due to swallowing difficulties
- Other (describe):

3C. DOES THE VETERAN HAVE ANY RESPIRATORY CONDITIONS ATTRIBUTABLE TO MULTIPLE SCLEROSIS?

YES NO

If "Yes," provide PFT results under "Diagnostic Testing" section and complete Respiratory Conditions Questionnaire.

3D. DOES THE VETERAN HAVE SLEEP DISTURBANCES ATTRIBUTABLE TO MULTIPLE SCLEROSIS?

YES NO

(If "Yes," check all that apply):

- Insomnia
- Hypersomnolence and/or daytime "sleep attacks "
- Persistent daytime hypersomnolence
- Sleep apnea requiring the use of breathing assistance device such as continuous airway pressure (CPAP) machine
- Sleep apnea causing chronic respiratory failure with carbon dioxide retention or cor pulmonale
- Sleep apnea requiring tracheostomy

SECTION III - CONDITIONS, SIGNS AND SYMPTOMS DUE TO MS (Continued)

3E. DOES THE VETERAN HAVE ANY BOWEL FUNCTIONAL IMPAIRMENT ATTRIBUTABLE TO MUTLTIPLE SCLEROSIS?

YES NO

(If "Yes," check all that apply):

- Slight impairment of sphincter control, without leakage
- Constant slight leakage
- Occasional moderate leakage
- Occasional involuntary bowel movements, necessitating wearing of a pad
- Extensive leakage and fairly frequent involuntary bowel movements
- Total loss of bowel sphincter control
- Chronic constipation
- Other bowel impairment (describe):

3F. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING URINE LEAKAGE ATTRIBUTABLE TO MUTLTIPLE SCLEROSIS?

YES NO

(If "Yes," check all that apply):

- Does not require/does not use absorbent material
- Requires absorbent material that is changed less than 2 times per day
- Requires absorbent material that is changed 2 to 4 times per day
- Requires absorbent material that is changed more than 4 times per day

3G. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING URINARY FREQUENCY ATTRIBUTABLE TO MUTLTIPLE SCLEROSIS?

YES NO

(If "Yes," check all that apply):

- Daytime voiding interval between 2 and 3 hours
- Daytime voiding interval between 1 and 2 hours
- Daytime voiding interval less than 1 hour
- Nighttime awakening to void 2 times
- Nighttime awakening to void 3 to 4 times
- Nighttime awakening to void 5 or more times

3H. DOES THE VETERAN HAVE VOIDING DYSFUNCTION CAUSING OBSTRUCTED VOIDING ATTRIBUTABLE TO MUTLTIPLE SCLEROSIS?

YES NO

(If "Yes," check all signs and symptoms that apply):

- Hesitancy
(If checked, is hesitancy marked?)
 YES NO
- Slow or weak stream
(If checked, is stream markedly slow or weak?)
 YES NO
- Decreased force of stream
(If checked, is force of stream markedly decreased?)
 YES NO
- Stricture disease requiring dilatation 1 to 2 times per year
- Stricture disease requiring periodic dilatation every 2 to 3 months
- Recurrent urinary tract infections secondary to obstruction
- Uroflowmetry peak flow rate less than 10 cc/sec
- Post void residuals greater than 150 cc
- Urinary retention requiring intermittent or continuous catheterization

3I. DOES THE VETERAN HAVE VOIDING DYSFUNCTION REQUIRING THE USE OF AN APPLIANCE ATTRIBUTABLE TO MUTLTIPLE SCLEROSIS?

YES NO

(If "Yes," describe):

SECTION III - CONDITIONS, SIGNS AND SYMPTOMS DUE TO MS (Continued)

3J. DOES THE VETERAN HAVE A HISTORY OF RECURRENT SYMPTOMATIC URINARY TRACT INFECTIONS ATTRIBUTABLE TO MULTIPLE SCLEROSIS?

YES NO

(If "Yes," check all treatments that apply):

- No treatment
- Long-term drug therapy

(If checked, list medications used for urinary tract infection and indicate dates for courses of treatment over the past 12 months):

Hospitalization

(If checked, indicate frequency of hospitalization):

- 1 or 2 per year
- More than 2 per year

Drainage

(If checked, indicate dates when drainage performed over past 12 months):

Other management/treatment not listed above

(Description of management/treatment including dates of treatment):

3K. DOES THE VETERAN (if male) HAVE ERECTILE DYSFUNCTION ATTRIBUTABLE TO MULTIPLE SCLEROSIS?

YES NO

(If "Yes," is the Veteran able to achieve an erection (without medication) sufficient for penetration and ejaculation?)

YES NO

(If "No," is the Veteran able to achieve an erection (with medication) sufficient for penetration and ejaculation?)

YES NO

3L. VISUAL DISTURBANCES

DOES THE VETERAN HAVE ANY VISUAL DISTURBANCES ATTRIBUTABLE TO MS?

YES NO

(If "Yes," check all that apply, also complete the Eye Questionnaire (schedule with appropriate examiner):

- Diplopia
- Blurring of vision
- Internuclear ophthalmoplegia
- Decreased visual acuity (If checked, specify): unilateral bilateral
- Visual scotoma (If checked, specify): unilateral bilateral
- Nystagmus
- Optic neuritis
- Other (describe): _____

SECTION IV - NEUROLOGIC EXAM

4A. GAIT

NORMAL ABNORMAL (describe): _____

(If gait is abnormal, and the Veteran has more than one medical condition contributing to the abnormal gait, identify the conditions and describe each condition's contribution to the abnormal gait):

SECTION IV - NEUROLOGIC EXAM (Continued)

4B. STRENGTH - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE:

0/5 No muscle movement	2/5 No movement against gravity	4/5 Less than normal strength
1/5 Visible muscle movement, but no joint movement	3/5 No movement against resistance	5/5 Normal strength

Shoulder Extension	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Shoulder Flexion	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Elbow Flexion	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Elbow Extension	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Wrist Flexion	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Wrist Extension	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Grip	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Pinch (thumb to index finger)	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Hip Extension	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Hip Flexion	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Knee Extension	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Ankle Plantar Flexion	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
Ankle Dorsiflexion	RIGHT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5
	LEFT:	<input type="checkbox"/> 5/5	<input type="checkbox"/> 4/5	<input type="checkbox"/> 3/5	<input type="checkbox"/> 2/5	<input type="checkbox"/> 1/5	<input type="checkbox"/> 0/5

IF THERE ARE OTHER WEAKNESSES, PLEASE SPECIFY USING THE ABOVE FORMAT:

4C. DEEP TENDON REFLEXES (DTRs) - RATE REFLEXES ACCORDING TO THE FOLLOWING SCALE:

0 - Absent	2+ Normal	4+ Increased with clonus
1+ Decreased	3+ Increased without clonus	

Biceps	RIGHT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
	LEFT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
Triceps	RIGHT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
	LEFT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
Brachioradialis	RIGHT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
	LEFT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
Knee	RIGHT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
	LEFT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
Ankle	RIGHT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+
	LEFT:	<input type="checkbox"/> 0	<input type="checkbox"/> 1+	<input type="checkbox"/> 2+	<input type="checkbox"/> 3+	<input type="checkbox"/> 4+

SECTION IV - NEUROLOGIC EXAM (Continued)

4D. SENSATION TESTING RESULTS:

Shoulder area (C5)	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Inner/outer forearm (C6/T1)	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Hand/fingers (C6-8)	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Thorax:				
Anterior:	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Posterior:	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Trunk:				
Anterior:	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Posterior:	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Thigh/knee (L3/4)	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Lower leg/ankle (L4/L5/S1)	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
Foot/toes (L5)	RIGHT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent
	LEFT:	<input type="checkbox"/> Normal	<input type="checkbox"/> Decreased	<input type="checkbox"/> Absent

4E. DOES THE VETERAN HAVE MUSCLE ATROPHY ATTRIBUTABLE TO MULTIPLE SCLEROSIS?

YES NO

(If muscle atrophy is present, indicate location):

(When possible, provide difference measured in cm between normal and atrophied side, measured at maximum muscle bulk: _____ cm.)

4F. SUMMARY OF MUSCLE WEAKNESS IN THE UPPER AND/OR LOWER EXTREMITIES ATTRIBUTABLE TO MS (check all that apply):

RIGHT UPPER EXTREMITY MUSCLE WEAKNESS:

NONE MILD MODERATE SEVERE WITH ATROPHY COMPLETE (no remaining function)

LEFT UPPER EXTREMITY MUSCLE WEAKNESS:

NONE MILD MODERATE SEVERE WITH ATROPHY COMPLETE (no remaining function)

RIGHT LOWER EXTREMITY MUSCLE WEAKNESS:

NONE MILD MODERATE SEVERE WITH ATROPHY COMPLETE (no remaining function)

LEFT LOWER EXTREMITY MUSCLE WEAKNESS:

NONE MILD MODERATE SEVERE WITH ATROPHY COMPLETE (no remaining function)

NOTE: If the Veteran has more than one medical condition contributing to the muscle weakness, identify the condition(s) and describe each condition's contribution to the muscle weakness:

SECTION V - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS

5A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION?

YES NO

(If "Yes," describe in a brief summary):

5B. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?

YES NO

IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK? (An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar.)

YES NO

IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.

IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.

LOCATION: _____ MEASUREMENTS: length _____ cm X width _____ cm.

SECTION V - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS (Continued)

5C. COMMENTS, IF ANY:

SECTION VI - MENTAL HEALTH MANIFESTATIONS DUE TO MULTIPLE SCLEROSIS OR ITS TREATMENT

6A. DOES THE VETERAN HAVE SIGNS OR SYMPTOMS OF DEPRESSION, COGNITIVE IMPAIRMENT OR DEMENTIA, OR ANY OTHER MENTAL HEALTH CONDITIONS ATTRIBUTABLE TO MS AND/OR ITS TREATMENT?

YES NO (If "Yes," briefly describe):

(If "Yes," also complete Mental Disorders Disability Benefits Questionnaire and schedule with appropriate provider)

6B. DOES THE VETERAN'S MENTAL DISORDER(S), AS IDENTIFIED IN ITEM 6A, RESULT IN GROSS IMPAIRMENT IN THOUGHT PROCESSES OR COMMUNICATION?

YES NO

(If "No," also complete Mental Disorders Disability Benefits Questionnaire and schedule with appropriate provider).

(If "Yes," briefly describe the signs and symptoms of the Veteran's mental disorder):

SECTION VII - HOUSEBOUND

7A. IS THE VETERAN SUBSTANTIALLY CONFINED TO HIS OR HER DWELLING AND THE IMMEDIATE PREMISES (or if institutionalized, to the ward or clinical areas)?

YES NO

(If "Yes," describe how often per day or week and under what circumstances the Veteran is able to leave the home or immediate premises):

7B. IF YES, DOES THE VETERAN HAVE MORE THAN ONE CONDITION CONTRIBUTING TO HIS OR HER BEING HOUSEBOUND?

YES NO (If "Yes," list conditions and describe how each condition contributes to causing the Veteran to be housebound)

PROVIDE CONDITIONS AND DESCRIBE HOW EACH CONDITION CONTRIBUTES TO THE VETERAN BEING HOUSEBOUND

CONDITION #	DESCRIPTION
CONDITION # 1 -	DESCRIPTION -
CONDITION # 2 -	DESCRIPTION -
CONDITION # 3 -	DESCRIPTION -

7C. IF THE VETERAN HAS ADDITIONAL CONDITIONS CONTRIBUTING TO CAUSING THE VETERAN TO BE HOUSEBOUND, LIST USING ABOVE FORMAT:

SECTION VIII - AID AND ATTENDANCE

8A. IS THE VETERAN ABLE TO DRESS OR UNDRESS WITHOUT ASSISTANCE?

YES NO

(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8B. DOES THE VETERAN HAVE SUFFICIENT UPPER EXTREMITY COORDINATION AND STRENGTH TO BE ABLE TO FEED HIM OR HERSELF WITHOUT ASSISTANCE?

YES NO

(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

SECTION VIII - AID AND ATTENDANCE (Continued)

8C. IS THE VETERAN ABLE TO PREPARE MEALS WITHOUT ASSISTANCE?

YES NO

(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8D. IS THE VETERAN ABLE TO ATTEND TO THE WANTS OF NATURE (toileting) WITHOUT ASSISTANCE?

YES NO

(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8E. IS THE VETERAN ABLE TO BATHE HIM OR HERSELF WITHOUT ASSISTANCE?

YES NO

(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8F. IS THE VETERAN ABLE TO KEEP HIM OR HERSELF ORDINARILY CLEAN AND PRESENTABLE WITHOUT ASSISTANCE?

YES NO

(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8G. IS THE VETERAN ABLE TO TAKE PRESCRIPTION MEDICATIONS IN A TIMELY MANNER AND WITH ACCURATE DOSAGE WITHOUT ASSISTANCE?

YES NO

(If "No," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8H. DOES THE VETERAN NEED FREQUENT ASSISTANCE FOR ADJUSTMENT OF ANY SPECIAL PROSTHETIC OR ORTHOPEDIC APPLIANCE(S)?

YES NO (If "Yes," describe):

NOTE: For VA purposes, "bedridden" will be that condition which actually requires that the claimant remain in bed. The fact that the claimant has voluntarily taken to bed or that a physician has prescribed rest in bed for the greater or lesser part of the day to promote convalescence or cure will not suffice.

8I. IS THE VETERAN BEDRIDDEN?

YES NO

(If "Yes," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8J. IS THE VETERAN LEGALLY BLIND?

YES NO

(If "Yes," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

Provide best corrected vision, if known: Left Eye: _____ Right Eye: _____

8K. DOES THE VETERAN REQUIRE CARE AND/OR ASSISTANCE ON A REGULAR BASIS DUE TO HIS OR HER PHYSICAL AND/OR MENTAL DISABILITIES IN ORDER TO PROTECT HIM OR HERSELF FROM THE HAZARDS AND/OR DANGERS INCIDENT TO HIS OR HER DAILY ENVIRONMENT?

YES NO

(If "Yes," is this limitation caused by the Veteran's Multiple Sclerosis?)

YES NO

8L. LIST ANY CONDITION(S), IN ADDITION TO THE VETERAN'S MS, THAT CAUSES ANY OF THE ABOVE LIMITATIONS:

SECTION IX - NEED FOR HIGHER LEVEL (i.e., more skilled) A&A

9. DOES THE VETERAN REQUIRE A HIGHER, MORE SKILLED LEVEL OF A&A?

YES NO

NOTE: For VA purposes, this skilled, higher level care includes (but is not limited to) health-care services such as physical therapy, administration of injections, placement of indwelling catheters, changing of sterile dressings, and/or like functions which require professional health-care training or the regular supervision of a trained health-care professional to perform. In the absence of this higher level of care provided in the home, the Veteran would require hospitalization, nursing home care, or other residential institutional care.

SECTION X - ASSISTIVE DEVICES

10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICE(S) AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE?

YES NO

(If "Yes," identify assistive device(s) used (check all that apply and indicate frequency)

- | | | | | |
|---------------------------------------|-------------------|-------------------------------------|----------------------------------|-----------------------------------|
| <input type="checkbox"/> WHEELCHAIR | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> BRACE(S) | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> CRUTCH(ES) | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> CANE(S) | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> WALKER | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |
| <input type="checkbox"/> OTHER: _____ | Frequency of use: | <input type="checkbox"/> Occasional | <input type="checkbox"/> Regular | <input type="checkbox"/> Constant |

10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:

SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES

11. DUE TO MULTIPLE SCLEROSIS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)

YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROSTHESIS WOULD EQUALLY SERVE THE VETERAN
 NO

(If "Yes," indicate extremity(ies)) (Check all extremities for which this applies):

Right upper Left upper Right lower Left lower

(For each checked extremity, describe loss of effective function, identify the condition causing loss of function, and provide specific examples in a brief summary):

SECTION XII - FINANCIAL RESPONSIBILITY

12. IN YOUR JUDGMENT, IS THE VETERAN ABLE TO MANAGE HIS/HER BENEFIT PAYMENTS IN HIS/HER OWN BEST INTEREST, OR ABLE TO DIRECT SOMEONE ELSE TO DO SO?

YES NO (If "No," provide reason):

SECTION XIII - DIAGNOSTIC TESTING

NOTE: If the results of MRI, other imaging studies or other diagnostic tests are in the medical record and reflect the Veteran's current condition, repeat testing is not required. If pulmonary function testing (PFT) is indicated due to respiratory disability, and results are in the medical record and reflect the Veteran's current respiratory function, repeat testing is not required. DLCO and bronchodilator testing is not indicated for a restrictive respiratory disability such as that caused by muscle weakness due to Multiple Sclerosis.

13A. HAVE IMAGING STUDIES BEEN PERFORMED?

YES NO

(If "Yes," provide most recent results, if available):

13B. HAVE PFT's BEEN PERFORMED?

YES NO

(If "Yes," provide most recent results, if available):

FEV1: _____ % predicted Date of test: _____

FEV1/FVC: _____ % Date of test: _____

FVC: _____ % predicted Date of test: _____

13C. IF PFT'S HAVE BEEN PERFORMED, IS THE FLOW-VOLUME LOOP COMPATIBLE WITH UPPER AIRWAY OBSTRUCTION?

YES NO

SECTION XIII - DIAGNOSTIC TESTING (Continued)

13D. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS AND/OR RESULTS?

YES NO

(If "Yes," provide type of test or procedure, date and results, in a brief summary):

SECTION XIV - FUNCTIONAL IMPACT

14. DOES THE VETERAN'S MULTIPLE SCLEROSIS IMPACT HIS OR HER ABILITY TO WORK?

YES NO (If "Yes," describe impact of the Veteran's Multiple Sclerosis, providing one or more examples):

SECTION XV - REMARKS

15. REMARKS (If any)

SECTION XVI - EXAMINER'S CERTIFICATION AND SIGNATURE

CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.

16A. Examiner's signature:

16B. Examiner's printed name and title (e.g. MD, DO, DDS, DMD, Ph.D, Psy.D, NP, PA-C):

16C. Examiner's Area of Practice/Specialty (e.g. Cardiology, Orthopedics, Psychology/Psychiatry, General Practice):

16D. Date Signed:

16E. Examiner's phone/fax numbers:

16F. National Provider Identifier (NPI) number:

16G. Medical license number and state:

16H. Examiner's address: